

I. REPORT ON AMBIENT AIR QUALITY MONITORING CONDUCTED IN
THE KINGSTON METROPOLITAN AREA (KMA)

FEBRUARY 6-13, 2012



Prepared by:
National Environment and Planning Agency
March 2012

LIST OF ACRONYMS

- AQHI- Air Quality Health Index
- AQI -Air Quality Index
- KMA- Kingston Metropolitan Area
- MET- meteorological
- MOH - Ministry of Health
- NEPA - National Environment and Planning Agency
- NO₂ - Nitrogen Dioxide
- PAPs- Priority Air Pollutants
- PM₁₀ - Particulate Matter less than 10 microns
- PM_{2.5} -Particulate Matter less than 2.5 microns
- POPs - Persistent Organic Pollutants
- SO₂ -Sulphur Dioxide
- TSP - Total Suspended Particulate Matter
- Ug/M³ – Micrograms per meter cube
- m/s – meters per second
- USEPA - United States Environment Protection Agency
- VOC - Volatile Organic Compounds
- WHO-World Health Organization

EXECUTIVE SUMMARY

Ambient air quality monitoring exercise was conducted in response to the air pollution incident, resulting from a fire at the Riverton Disposal Site during the period February 6 to February 13, 2012. The monitoring exercise was conducted jointly by the Ministry of Health and the National Environment & Planning Agency. The report provides an outline of the monitoring sites that were used to assess the impact of the Riverton Disposal Site's emissions from the fire, the site location and the pollutants that were tested.

The detailed results for all the monitoring exercise are provided both graphically and in tabular form and a comparison is made with the average site conditions based on historical data and the Jamaica Ambient Air Quality Standards. Each graph is analyzed and the important points highlighted.

The general conclusion based on the results of the monitoring exercise is that the subject fire at the Riverton Disposal Site created a negative impact on the ambient air quality in Kingston and St. Andrew and Portmore regions. The data collected gives a reasonable indication of the impact and provides a good baseline to make decisive actions and inform the public on the risk if an event of this magnitude should reoccur. The basis of the conclusion is as follows:

1. The data showed ambient air quality with respect to PM_{10} , within a 1km radius of the site, to be "Very High Risk" according to the USEPA and Canadian Air Quality Index definition.
2. At distances up to a 2km radius the air quality with respect to PM_{10} was "High Risk" according to the same Canadian and USEPA Air Quality Index.
3. Based on the data gathered during the fire one exceedance of the National Jamaica Ambient Air Quality Standard for PM_{10} 24 Hour averaging was recorded for Friday, 10 February 2012. The recorded average for PM_{10} was 167ug/m³.
4. VOC Samples have been collected and analyzed. However assessment of the impact of these VOCs is being determined by the Ministry of Health.
5. High 24 Hour particulate matter (PM_{10}) readings were recorded during the event at two sites monitored at Spanish Town Road and Washington Gardens.
6. Although only one data set was gathered for stations in the northerly direction from the dump. Data from the Southerly region of dump suggest that averages remained in the same range during the event. Sites located at Cross Roads and Marcus Garvey drive showed basically the same average on Tuesday and Saturday. Hence the probability is that the same trend is expected for the sites in the northerly direction.

BACKGROUND

On Tuesday, February 7, 2012 the National Environment & Planning Agency observed the Riverton Disposal Site on fire. The Agency contacted the National Solid Waste Management Authority who confirmed that sections of the site were on fire and that they had started to use material to cover the area and also contacted the Fire Department for support. The following day the Agency contacted the Ministry of Health to procure additional support to conduct a response monitoring exercise to the fire. A request was sent to each private licensed facility which operates permanent ambient air monitoring sites in the Kingston and St. Andrew region to provide their data. The private industry responded positively and the Agency began receiving preliminary data on Wednesday evening.

On Thursday, February 9, 2012 equipment from the MOH along with in-house equipment were calibrated, maintained and repaired for deployment. Contact was also made with MOH and they informed the Agency that they had procured an additional monitor for deployment. Deployment was conducted on Friday, February 10, 2012.

SAMPLING

Locations

The sites chosen were based on impact zones, complaints, high density areas, known general wind direction from dump and availability of host for equipment. The sites used are shown in Table 1 below:

Table 1: Showing Site Locations

SITE LOCATIONS	BASIS FOR SELECTION
1. Half Way Tree Fire Station	Temporary Response Monitoring Site
2. Home on Garfield Avenue, Washington Gardens	Temporary Response Monitoring Site
3. JPS Offices, Spanish Town Road	Temporary Response Monitoring Site
4. Home on Belvedere Road, Red Hills	Temporary Response Monitoring Site
5. Water Ford Fire Station, Portmore	Temporary Response Monitoring Site
6. Crossroads	Permanent Routine Ambient Monitoring Site
7. 191 Old Hope Road	Permanent Routine Ambient Monitoring Site
8. Garmex, Marcus Garvey Drive	Permanent Private Ambient Monitoring Site
9. Petrojam, Marcus Garvey Drive	Permanent Private Ambient Monitoring Site
10. College Commons, Mona	Permanent Private Ambient Monitoring Site

Thirty five (35) pollutants were assessed during the period (Appendix I).

PRESENTATION OF RESULTS

The data was manipulated and presented in the form of graphs and tables. The graphs will represent data gathered over the subject monitoring period i.e. February 6 – 13, 2012 while the tables will indicate the data gathered daily from each sampling location for each pollutant.

Figure 1: Showing PM10 Data recorded at various locations across the KMA and Portmore from February 6-13, 2012




Table 2: Showing 24 hour average PM10 (ug/m3) measures during Dump fire February 6–13, 2012

	Spanish Town Road (JPS)	Washingto n Gardens	Red Hills	Marcus Garvey Drive	Portmore	Half Way Tree	Cross Roads	Old Hope Road	Mona College Commons
Mon 6th				41.08					
Tue 7th				48.17			28	22	19
Wed 8th				37.29					
Thur 9th				42.41					
Fri 10th	167			70.20					
Sat 11th	149	99	44	47.83		51	32		
Sun 12th				44.125					
Mon 13th				44.125	31				
2011 Station Avg.	N/A	N/A		33.53	N/A	N/A	40.14	31.20	19.32

Figure 2: Results of the SO₂ concentrations from monitoring along Marcus Garvey Drive from February 6-13, 2012




Table 3: Showing 24Hr and Maximum 1Hr recorded conc. for SO₂ during the fire from February 6-13, 2012 (all readings in ug/m³)

Date	Readings	
	Max 1hr SO ₂	24Hr Avg. SO ₂
Mon 6th	149.08	23.53
Tue 7 th	96.77	23.53
Wed 8th	94.14	18.31
Thur 9th	54.92	20.93
Fri 10 th	49.69	20.92
Sat 11 th	167.39	28.77
Sun 12th	107.23	39.23
Mon 13th	60.15	20.92
2010 Station Annual Average	n.a	24.23
National Standard	700	280

Figure 3: Results of the NO₂ concentrations from monitoring along Marcus Garvey drive from Feb 6-13, 2012














Table 4: Showing 24Hr and Maximum 1Hr recorded concentration for NO₂ during the fire from Feb 6-13, 2012 (all readings in ug/m³)

Date	Readings	
	Max 1hr NO ₂	24Hr Avg. NO ₂
Mon 6th	52.96	33.34
Tue 7 th	172.61	27.46
Wed 8th	47.07	23.54
Thur 9th	60.80	27.46
Fri 10 th	49.03	29.42
Sat 11 th	47.07	19.61
Sun 12th	52.96	25.50
Mon 13th	43.15	23.54
2010 Station Annual Average		21.63
National Standard	400	none

Map: Showing existing and temporary (response sites) in the KMA and Portmore as well as the estimated PM₁₀ impact level




Key

	CONC. PM10 = >148ug/m3		CONC. PM10 = 99-148ug/m3		CONC. PM10 = 19-98ug/m3		Possible further
	INDEX RATING:		INDEX RATING:		INDEX RATING:	Index ratings were based on USEPA & Canadian air quality indices	
	- Permanent Ambient Monitoring Stations		- Response Sites				

PERMANENT STATIONARY SITES	RESPONSE STATIONS
Garmex, Marcus Garvey Drive (SO ₂ , NO ₂ , PM ₁₀)	Spanish Town Road (JPS) (PM ₁₀ , VOC)
Petrojam (SO ₂ , NO ₂ , PM ₁₀)	Washington Gardens (Garfield Avenue) (PM ₁₀)
Crossroads (PM ₁₀ , TSP)	Red Hills (Belvedere Rd) (PM ₁₀)
191 Old Hope Road (PM ₁₀ TSP)	Portmore, (Waterford) (PM ₁₀)
Harbour View (PM ₁₀)	Half Way Tree (PM ₁₀)
College Commons, Mona (PM ₁₀)	

Figure 4: Showing Wind Rose Plots using Data from Marcus Garvey Drive Meteorological Stations from February 6-13, 2012



ANALYSIS OF FINDINGS

The analysis focuses mainly on the PM₁₀ data as the results showed that ambient air quality with respect to PM₁₀, within 1km radius of the site was ranked as “very high risk” while at distance over 1 km it was ranked as “high risk”.

PM Data Analysis

The 24 hour Standard of 150ug/m³ for PM₁₀ was exceeded once on Friday, February 10, 2012 at the Spanish Town Road site. The value recorded was 167ug/m³. The data revealed that on 11 February 2012 all monitoring locations to the North of the site were impacted by PM₁₀ (Table 1 & Figure 1).

The PM₁₀ concentration 1km away from the disposal site in the north direction recorded the highest value. At 1.5 -2km, the second highest concentration was recorded while the lowest concentration was recorded at 4.5km (Map1). The data gathered from the stations on Marcus Garvey Drive showed elevated levels of PM₁₀ above the normal 24 hr average for 2010 while Hope Road and College Commons, Mona stations showed data averages similar to 24 hr averages in 2010 and 2011.

Permanent stations that recorded annual averages for PM₁₀ during 2011 showed no impact from PM₁₀ fallout at the Cross Roads, Old Hope Road and Mona sites. The Marcus Garvey station, which is the closest of the four permanent stations, showed some impact. The greatest impact (37ug/m³) was recorded on 10 February 2012. Background data for the other stations was unavailable for the other stations so the impact from fallout of will have to be determined from data gathered after the fire

SO₂

The maximum hourly average of SO₂, recorded at Marcus Garvey Drive, was 167ug/m³. This was recorded on Saturday 11 February 2012 (Table 2 and Figure 2). The highest 24 hour average for SO₂ (39ug/m³) was recorded on Sunday, 12 February 2012. The 24 hour average for these stations is usually in the mid 20's, based on data collected in 2010 and 2011.

NO₂

The maximum hourly average of NO₂ recorded at the same sites was 172ug/m³. This was recorded on Tuesday 7 February 2012 (Table 3 and Figure 3). The highest 24 hour average for NO₂ (33ug/m³) was recorded on Monday, 6 February 2012. The 24 hour average for these stations also averaged in the mid 20's, based on data collected in 2010 and 2011.

VOC

VOC was sampled at the monitoring station located at the JPS Offices on Spanish Town Road. The assessment of the impact is being determined by the Ministry of Health.

METEOROLOGICAL DATA ANALYSIS

The two plots show that during the period of the fire approximately 56% of the winds were blowing from a northerly direction, while 38% were from a southerly direction. Winds with the highest speeds were from the South East.

The higher speed winds from the southeast direction on Saturday, February 11, 2012 may have resulted in a higher concentration of PM₁₀ in the vicinity and to the north and north-west of the disposal site. The lower wind speeds blowing from the north could explain why sections of the city to the south-southeast of the disposal site were not impacted greatly by the pollutants measured. (This is represented in the data shown by the stations located to the south of the disposal site: Marcus Garvey Drive and Half Way Tree).

Winds speeds in the 0.5-2.1 (m/s) range existed for 55-60% of the time in all directions which would result in the fallout of the heavier air pollutants closer to the disposal site.

CATEGORIZATION OF RISK

The areas which experienced the greatest impact of the fire are shown in Table 4. The wind factor, discussed previously, would have influenced the areas of greatest impact.

Table 5: Showing the areas determined to have received the greatest impact

	ZONES	
	VERY HIGH RISK	HIGH RISK
Communities and Places	<ul style="list-style-type: none"> • Riverton Meadows • Berger Paints facility • JPSCO Office • Seaview Gardens • Cooreville Gardens • Cooreville Basic School • Lower Sections of Weymouth Drive • Riverton Community Center • Riverton surrounding communities • All Facilities up to 1Km along Spanish Town Road in the North and Northwest direction of the dump 	<ul style="list-style-type: none"> • Washington Gardens • Duhaney Park Primary • Edith Dalton James High • Hendricks Basic School • Duhaney Park Police Station • Lower sections of Duhaney Park Drive • All facilities along the Spanish Town Road up to 2 km in the East and South East direction of the dump

CONCLUSION

The general conclusion based on the results of the monitoring exercise is that the fire at the Riverton Solid Waste Disposal Site had a negative impact on the ambient air quality in Kingston and St. Andrew and Portmore regions. The data collected gives a reasonable indication of the impact and provides a good baseline to make decisive actions and inform the public on the risk if an event of this magnitude should reoccur.

The basis of the conclusion is as follows:

1. The data showed ambient air quality with respect to PM₁₀, within a 1km radius of the site, to be Very High Risk according to the USEPA and Canadian Air Quality Index definition.
2. At distances up to a 2km radius the air quality with respect to PM₁₀ was “High Risk” according to the same Canadian and USEPA Air Quality Index
3. Based on the data gathered during the fire one exceedance of the National Jamaica Ambient Air Quality Standard for PM₁₀ 24 Hour averaging was recorded Friday, February 10, 2012. The recorded average for PM₁₀ was 167ug/m³.
4. VOC Samples have been collected and analyzed. However assessment of the impact of these VOCs is being determined by the Ministry of Health.
5. High 24 Hour particulate matter (PM₁₀) readings were recorded during the event at two sites monitored at Spanish Town Road and Washington Gardens.
6. Although only one data set was gathered for stations in the northerly direction from the dump. Data from the Southerly region of dump suggest that averages remained in the same range during the event. Sites located at Cross Roads and Marcus Garvey Drive showed basically the same average on Tuesday and Saturday. Hence the probability is that the same trend is expected for the sites in the northerly direction.

LIMITATIONS OF RESPONSE MONITORING PROGRAMME

1. NEPA has no permanent monitoring stations to the north, northwest or southwest of the disposal site.

2. NEPA & MOH had to deploy Mini-Vol PM10 Samplers and a Hi-Vol PM10 to four additional sites in the general location of observed greatest impact during February 11-13 when the intensity of fire had decreased in comparison to the February 8-10. . This was due to procurement, preparation and setting up of equipment.
3. Appropriate site locations for deployment of the additional Mini-Vol samplers were not readily available.
4. Mini-Vol Devices used for response had a four day turn around time for results.
5. NEPA and MOH does not have adequate equipment for sampling and testing for additional pollutants such as those categorized as persistent organic pollutants (POPs)

RECOMMENDATIONS

1. The NSWMA should improve its management at all solid waste disposal sites inclusive of the Riverton Dsposal Site to prevent the reoccurrence of major fires.
2. The monitoring at all PM₁₀ response sites established during this event, should to continue for at least 1 year.
3. Permanent air monitoring sites should be installed by the NSWMA, around the Riverton Disposal Site based on modeled air dispersion data for worse-case fire event.
4. New PM₁₀ and PM_{2.5} monitoring devices should be procured by the NRCA for deployment in other KMA locations.
5. Monitoring equipment should be procured and further deployed for the sampling of additional pollutants especially those in the category of POPs.
6. A dispersion model should be done using the best data available for similar events in order to obtain a more accurate estimate of the zones of greatest impact. Monitoring devices should also be deployed in those zones.

APPENDICES

Appendix I

LIST OF AIR POLLUTANTS ANALYZED FROM FEBRUARY 6-13, 2012

CRITERIA AIR POLLUTANTS

1. Sulphur Dioxide
2. Nitrogen dioxide
3. Particulate Matter less than 10 microns

VOLATILE ORGANICS

- | | | |
|-------------------------|------------------------------|---------------------|
| 4. Dichloromethane | 18. 1,1,2,2-Tetrchloroethane | 32. Benzene, butyl- |
| 5. Hexane | 19. n-Decane | 33. Caprolactam |
| 6. Chloroform | 20. 1,3,5-Trimethylbenzene | 34. Biphenyl |
| 7. 1,2-Dichloroethane | 21. 1,2,4-Trimethylbenzene | 35. Diphenyl ether |
| 8. Benzene | 22. Pentachloroethane | |
| 9. Trichloroethylene | 23. d-Limonene | |
| 10. Toluene | 24. p-Cymene | |
| 11. Tetrachloroethylene | 25. 1,3-Dichlorobenzene | |
| 12. Ethylbenzene | 26. 1,4-Dichlorobenzene | |
| 13. (m+p)-Xylene | 27. Hexachloroethane | |
| 14. o-Xylene | 28. 1,2,4-Trichlorobenzene | |
| 15. Styrene | 29. Naphthalene | |
| 16. Cumene | 30. 1-Butanol | |
| 17. a-Pinene | 31. Benzene, chloro- | |

Appendix II

Comparative Ambient Air Quality Standards/Guidelines

Parameter	Averaging time	USA Standard	Canadian Standard	WHO guideline	Jamaican Standard
PM ₁₀	Annual	n.a.	n.a.	20 µg/m ³	50 µg/m ³
	24hrs	150µg/m ³	150 µg/m ³	50 µg/m ³	150 µg/m ³
SO ₂	Annual	78 µg/m ³	60 µg/m ³		60 µg/m ³
	24hrs	366 g/m ³	300 µg/m ³	20 µg/m ³	280 µg/m ³
	1hr	n.a.	900 µg/m ³		700 µg/m ³
NO ₂	Annual	100 µg/m ³	100 µg/m ³	40 µg/m ³	100 µg/m ³
	24hrs	n.a.	n.a.	n.a.	n.a.
	1hr	n.a.	400 µg/m ³	200 µg/m ³	400 µg/m ³
VOC	1hr	n/a	n/a	(1-17) µg/m ³	n/a

Appendix III

ESTIMATED COST

NEPA's ESTIMATED COST OF MONITORING EXERCISE FEBRUARY 6-13, 2012					
EQUIPMENT		QTY	Unit Cost (\$US)	EXR (\$JA)	Sum TOT (JA\$)
	Mini- Volume Sampler	3	3500	87	913,500
	High-Volume Sampler	1	10000	87	870,000
	1 Box of Quartz filter Paper	1	1000	87	87,000
	Desiccators	2	200	87	34,800
	Analytical Balance	1	5000	87	435,000
LABOUR		QTY	HOURS	RATE (\$JA)/hr	
	Level 6 Officer	1	48	727	34,896
	Level 7 Officer	1	48	878	42,144
TRAVELLING		QTY	DISTANCE (KM)	RATE (\$JA)/Km	
	Portmore	2	35	30	2100
	Red Hills	2	35	30	2100
	Washington Garden	2	25	30	1500
	Half Way Tree	2	15	30	900
	Old Hope Road	2	15	30	900
TOTAL ESTIMATED COST OF RESPONSE MONITORING					2,424,840